



ENERGY SAVING PRODUCTS
AIR CONDITIONING, HEATING, AND REFRIGERATION

Addendum 2026

HIGH SIDE CHEMICAL



Leak Lock

State of the art, high strength pipe joint sealant. Resistant to chemicals, gases, refrigerants, and more. Works on ALL metals and plastics

- 10001 - 1.3 oz tube, 12 per canister
- 10002 - 1.3 oz tube in blister pack, 12/cs
- 10004 - 4 oz bottle with brush cap, 12/cs
- 10016 - 16 oz bottle with brush cap, 12/cs



Trace 2 Alkylbenzene-based Internal Leak Detector

Shows bright in daylight & even brighter w/ our UV Trace Light. Compatible with all refrigerants and refrigeration lubricants

- 21004 - 4 oz, 12/cs
- 21016 - 16 oz bottle, 12/cs
- 21002 - 2 oz - Injector Kit w/ Resusable Charging Hose, 6/cs
- 21022 - 2 oz - Injector Refill Kit (2 pack), 6/cs



Leak Lock Gold

State of the art, high strength pipe joint sealant with PTFE (Teflon). Resistant to chemicals, gases, refrigerants, and more. Works on ALL metals and plastics

- 11001 - 1.3 oz tube, 12 per canister
- 11002 - 1.3 oz tube in blister pack, 12/cs
- 11004 - 4 oz bottle with brush cap, 12/cs
- 11016 - 16 oz bottle with brush cap, 12/cs



Gas Leak Detector - Low Temp

Find your leaks fast with the brightest bubbles anywhere. Rated for -30 to + 200 F. Non-toxic, non-freezing

- 22008 - 8 oz bottle w/ dauber, 24/cs
- 22032 - 32 oz bottle w/ trigger sprayer, 12/cs
- 22128 - 1 gallon jug, 4/cs



R3 AC LEAK REPAIR - PRO TECH SERVICE KIT™

Lubricate, condition, and renew your equipment. Great for small, hard to find leaks. A non-polymer formula - NOT activated by oxygen or moisture

- 60002 - 2 oz injector kit w/ reusable hose, 6/cs
- 60022 - 2 pack injector refill kit, 6/cs



GAS LEAK DETECTOR® - MID TEMP

Find Your Leaks Fast w/ the Largest & Brightest Bubbles on the Market. Non-Toxic formula. Rated + 30 to +200 F.

- 23008 - 8 oz bottle w/ dauber, 24/cs
- 23032 - 32 oz bottle w/ trigger sprayer, 12/cs
- 23128 - 1 gallon jug, 4/cs



Trax Liquid Bubble Leak Finder

Easy to use, long lasting bubbles. Non-toxic, no residue formula. Meets military spec 25567

24001 - 1.3 oz bottle, 24/cs

24010 - 12 oz bottle w/ extended spout 12/cs

24128 - 1 Gallon jug, 4/cs



Concentrated Alkaline based liquid coil cleaners

GREEN STUFF™ - 1 gallon. It cleans, degreases, and brightens. Easy to use and fast acting.

HD JET FOAMER™ - 20 oz Aerosol can. Easy application with self-rinsing formula. Does not contain ozone depleters or chlorinated solvents.

Coil MAX Powder Formula

59128 - 1 gallon jug, 4/cs

59520 - 20 oz aerosol can, 12/cs

56008 - 11.25 oz jar, makes 1 gallon, 12/cs



UV TRACE LIGHT

UV Light for Leak Detection

76006 - Blister Pack - UV Trace Light w/ Strap, 12/cs



PRO-A - PRO TECH SERVICE KIT™

Advanced Rejuvenator & Conditioner for Air Conditioning & Refrigeration Systems. Quiet noisy compressors & free sticky expansion valves. Decrease maintenance, Reduce seal degradation, & Increase lubrication

19002 - 2 oz injector kit w/ reusable hose, 6/cs

19022 - 2 oz - Injector Refill Kit (2 pack), 6/cs



Concentrated Acid-Based Liquid Coil Cleaner

PINK STUFF™ - 1 gallon. It cleans, degreases, and brightens. Easy to use and fast acting.

COIL BLASTER SOLVENT™ - 20 oz Aerosol can. Easy application with self-rinsing formula. Does not contain ozone depleters or chlorinated solvents.

Coil BRITE Powder Formula

58128 - 1 gallon jug, 4/cs

58520 - 20 oz aerosol can, 12/cs

57014 - 14 oz jar, makes 1 gallon, 12/cs

HIGH SIDE CHEMICAL



THAWZONE®

The Original Liquid Dehydrant for Moisture Control. Free a frozen system in minutes. Compatible w/ ALL refrigerants & refrigeration lubricants

- 17001 - 1 oz bottle, 24/cs
- 17004 - 4 oz bottle, 12/cs
- 17016 - 16 oz bottle, 6/cs
- 17002 - 2 oz injector kit w/ reusable hose, 6/cs
- 17022 - 2 oz - Injector Refill Kit (2 pack), 6/cs



RED EPOXY®

High performance, two part epoxy permanent repair kit. Impermeable once cured. Great for all metals and rigid plastics.

- 12001 - 2 part epoxy canister kit, 12/cs



HVAC/R INSTANT REPAIR KIT™

2 Part, 3 Step Permanent Repair Kit. 700 PSI hold in just 20 seconds, 1800 PSI hold & full cure in 20 minutes. GREAT for ALL metals & rigid plastics; WILL NOT VOID EQUIPMENT WARRANTY

- 32050 - 2 Part Compound Canister Kit w/ Applicator tool, emory cloth, and brushes. 12/cs



Acid Neutralizer

Eliminate and prevent acid in A/C and refrigeration systems + recovery equipment. Compatible with all refrigerants and lubricants. No solids or solid residuals

- 18004 - 4 oz bottle, 12/cs
- 18002 - 2 oz injector kit w/ reusable hose, 6/cs
- 18022 - 2 oz - Injector Refill Kit (2 pack), 6/cs



HVAC SUPERPRO®

Allows for flameless, permanent bonding. Bonds aluminum, copper, and brass in any combination. Compatible with all refrigerants and lubricants

- 32097 - 10 Gram Squeeze Bottle w/ Applicator tip & Sand cloth, 12/cs
- 32098 - 50 g. squeeze bottle w/ applicator tip and sand cloth, 12/cs



The Acid Test

An IMPORTANT Step in Preventative Maintenance. Non-Toxic, Biodegradable formula. Eliminate the guess work w/ on-site, accurate results in seconds

- 16001 - 4 oz canister w/ (4) tests, 12/cs



JUST FOR COPPER® EPOXY PUTTY

Quick-Setting, Permanent Repair Putty. Begins to set in 15 minutes. Will cure under water.

- 31057 - 2 oz Tube Blister Pack, 12/cs

HIGH SIDE CHEMICAL



GREEN PANTABS™

Economical Condensate Drain Pan Treatment. Prevent overflows & water damage. GREAT for refrigerated food & beverage cases

52200 - 400 Gram Jar (200 Tablets), 12/cs
52224 - 24 Tablet Blister Pack, 12/cs

Solderlene

High quality soldering flux. Maximizes solder flow w/ self-cleaning formula. Does not lose consistency under extreme temperature conditions



30004 - 4 oz bottle w/ brush top, 12/cs
30016 - 16 oz bottle w/ brush top, 12/cs



CDC DRAINPAN STRIPS

Prevent Drain Clogs & overflowed pans. Easy Application. Prevent growth of harmful bacteria, including those causing Legionnaire's disease

52105 - 0.75 oz plastic applicator, 24/cs
52115 - 2.12 oz Plastic Applicator, 12/cs



HEAT SHIELD™

Prevent Heat Damage While Soldering, Brazing, or Welding. Non-Drip, Non-Toxic, & Non-Corrosive formula. Evaporates within 24 hours = No cleanup & No residue.

31032 - 32 oz bottle w/ trigger sprayer, 12/cs



BIOFILM REMOVER™

Prevent Slime Build up in Drain Pan, P-Traps, and Drain Line. No More Overflowed Drain Pans or Clogged Drain Lines. Safe & More Effective Alternative to Bleach or Other Cleaners. Gel Clings for Long Lasting Effects

53032 - 32 oz bottle w/ trigger sprayer - 12/cs



Multi-Purpose, ALL Weather, ONE-STEP PVC Cement

Extremely fast set time, allowing for immediate pressure testing. Works great on Wet & Dry pipe

10604 - 4oz w/ dauber cap, 12/cs
10608 - 8 oz w/ dauber cap, 12/cs

TXV REVERSING VALVE INSTALLATION KIT™

Innovative, Single-Part, Flameless, Permanent Bonding Kit. Never burn a valve again. Compatible w/ ALL refrigerants & refrigeration lubricants



32100- 10 Gram Squeeze Bottle w/ Applicator tip & Sand cloth, 12/cs

**ORANGE PAN POTION™**

2 Part Permanent Resurfacing Kit. Great for ALL metals & rigid plastics. For use during installations or repairs. Just mix it, shake it, pour it.

54016 - 2 part 6.7/6oz Permanent Resurfacing Box Kit, 6/cs

JUST FOR COPPER®

Flameless, Permanent Bonding for Installation & Repair. Bonds Aluminum, Copper, & Brass in ANY combination. Compatible w/ ALL refrigerants & refrigeration lubricants

31010- 10 Gram Squeeze Bottle w/ Applicator tip & Sand cloth, 12/cs

31050- 50 Gram Squeeze Bottle w/ Applicator tip & Sand cloth, 12/cs

**METAL SYSTEM INJECTOR**

For Introducing Liquids into the Low Side of a System w/ No Recovery Needed

INJ001 - 0.5 oz aluminum injector

**ECONOMY SYSTEM INJECTOR**

For Introducing Liquids into the Low Side of a System w/ No Recovery Needed

76022 - 2 oz plastic injector

PLUMBING INSTAPATCH™

2 Part, 3 Step Permanent Repair Kit. 700 PSI hold in just 20 seconds, 1800 PSI hold & full cure in 20 minutes. GREAT for ALL metals & rigid plastics (Including PEX); WILL NOT VOID EQUIPMENT WARRANTY

33033 - 2 Part Compound Blister Pack, 12/cs

**BROAD SPECTRUM THREADLOCKER™**

ALL Purpose, Heavy Duty Threadlocker, Prevent Loose Nuts, Bolts, & Fittings. Vibration Proof & Chemically Resistant. Can also be used on plastics

13001 - 0.5 oz tube, 12/cs



SUPERFLUSH™

Best Internal Coil Cleaner & System Flush. Great for Before a retrofit or After a compressor burnout. One treatment cleans & removes it ALL.

55032 - 32 oz bottle, 12/cs
55128 - 1 gallon jug, 4/cs



FILTER, FAN & VENT CLEANER™

Heavy Duty Cleaner w/ NO Scrubbing Required. Easy application: Spray, Soak, & Rinse. Non-Toxic formula & Safe for ALL metals & rigid plastics.

52032 - 32 oz bottle w/ trigger sprayer, 12/cs



SPOREGO™

Safe & More Effective Than Bleach Cleaners. Made w/ safe & natural ingredients. Effectively cleans away mold and mildew

53128 - 1 gallon jug, 4/cs



DYE WASH™

Wash Away Dye Residue FAST & Prevent False Positives for Future Maintenance. Non-Toxic formula. Non-Corrosive & Safe for ALL metals & plastics

51032 - 32 oz bottle w/ trigger sprayer, 12/cs



ICE BLOCK™

Safe & easy to use Non-Toxic formula. Protect pipes & system components from freeze damage

15128 - 2 gallon jug, 4/cs
15640 - 5 gallon tote, 1 each



ICE MAX™

High Performance Ice Machine & Tankless Water Heater Cleaner. Maximum scale removing power to increase the life of your equipment. Indefinite shelf-life w/ minimal storage space requirements.

50004 - 4.4 oz canister - makes 32 oz concentrate, 12/cs



LEAK LOCK® - ADVANCED SPECIALTY SEALANT

System safe sealant for ALL industries. Specially designed for use on:
Gaskets, O-Rings, Flare Fittings, Schrader Valves, & MORE

10700 - 1.3 oz in blister pack, 12/cs



OIL CHECKER™

Identify Air Conditioning & Refrigeration Lubricants in Seconds. ■
Eliminate the guess work & avoid costly mistakes. Easy to use on site.

16501 - 4 oz Canister Kit w/ (2) Complete Tests, 12/cs



2" Chip Brushes

Woods handle. Excellent for applying duct sealant
E67194 - 2" Chip Brush, 12/cs



Inspection Mirrors

A variety of telescoping mirrors for inspection.

Round - 2" Diameter Round Mirror, Telescopic handle from 9" to 16-1/4".

Rectangular - 2" x 3-1/2" Rectangular Mirror, Telescopic handle from 9-1/8" to 15-3/4".

Oval - 1"x2" Oval Mirror, Telescopic from 6-1/2" to 25-1/8". With pocket clip

E142 - Round

E149 - Rectangular

E157 - Oval



Clear U Trap

Clear U Trap with Brush

ESPEZT-113

PO Box 391
Vandalia, OH 45377
(937) 898-0391
www.espcompany.com

