



ENERGY SAVING PRODUCTS

Catalog Addendum 2023

PO Box 391
Vandalia, OH 45377
(937) 898-0391
www.espcompany.com



Expanding Garden Hose

New and improved ESP black expanding hose expands to 50' when pressure is applied. When removed from pressure, the hose expels all water, avoiding a mess on the truck. Lightweight with heavy duty brass fittings plus shut off valve

BX50

Superior Smoke Emitters



Superior® Classic Smoke Candles quickly and efficiently produce dense white smoke. The Superior® #1A Smoke Candle generates 4000 cubic feet of smoke in thirty seconds. The Superior® #2B Smoke Candle generates 8000 cubic feet of smoke in sixty seconds. The Superior® #3C Smoke Candle generates 40,000 cubic feet of smoke over a 3+ minute burn duration

1A (12/BAG)

2B (12/BAG)

3C (12/BAG)



Board Removal Tool

Remove boards from their standoffs easily. Dual sided tool easily compresses both sizes of standoffs seen in the HVAC/R industry. A must have for the truck.

BRT10



Bad Ass Bags

42 gallon, 3 mil, black contractor trash bag with flaps. Essential truck stock



CTB25 - BOX OF 25 BAGS



Bulk Z Tool Box

This handy dual nut driver has 1/4" and 5/16" pivoting sockets to reach the most difficult angles and tightest screw locations. Save by ordering 25.

ZT10-BULK (Box of 25)



Fin and Plenum Brush

The fin and plenum brush - has a 14", extra long handle. The total length of the brush is 18". Bristles are 2" wide, all natural. It's perfect for cleaning coils, and is especially useful for applying mastic and other sealants in hard to reach places.

RAD2 - 12/CS

FireStop Foam



Great for residential applications. Foam is better than conventional fireblock products at blocking smoke & flames, and has proven cost effectiveness due to easy application & excellent yield rate as opposed to standard caulks and fiberglass. Orange in color

P30033 12 OZ. (12/cs)

Expanding Foam



This foam is a low-pressure, one-component, polyurethane foam sealant is a moisture-cured, multipurpose sealant designed to seal and fill small cracks and voids, creating a tight barrier against noise, moisture and air infiltration. HandiFoam® Sealant is UL GREENGUARD Gold Certified, contributing to healthier indoor environments.

P30002 - 12 OZ. (12/cs)

P30181 - 24 OZ. (12/cs)

FireStop



This is a latex based, high solids firestop caulk. This material, when properly installed, effectively seals penetration openings in wood frame construction against the spread of fire, smoke and combustion byproducts. It is a single stage intumescent. When exposed to elevated temperatures, WF300 expands rapidly to seal off voids left by the burning or melting of combustible materials

WF310 - 10.1 OZ. (24/cs)


Mobil Red Lithium Grease



This is an advanced full synthetic grease formulated with a proprietary blend of high-performance synthetic base stocks and a lithium complex soap thickener. The thickener system provides a high dropping point, while additives impart excellent extreme-pressure properties and resistance to water wash, rust and corrosion. The proprietary blend of high-performance synthetic base stocks used in Mobil 1 Synthetic Grease gives reliable lubrication over wide temperature ranges -50 C (-58 F) to 246 C (475 F).

121071 (10/cs)

Absorbent Pads



Perfect for oil spills or placing under vacuum pumps when changing oil. These pads and rolls are constructed of two layers of fine fiber polypropylene and are ultrasonically bonded around a high-loft meltblown core. 15" x 17"

ABSP25 - Pack of 25 pads

Mini Split Fitting



This is the next generation of AC MC connectors. They are designed to accommodate a broad range of cables. Each trade sized hub range overlaps the adjacent hub range, thereby minimizing the possibility of mismatched cables and fittings in the field

TECK50

CONDENSATE LINE ACCESSORIES

CO2 Cartridges



Compatible with all industry drain line guns. 16 gram cartridges available both threaded and unthreaded; 12 pack in merchandise packaging or 100 in bulk. 20 gram available unthreaded in a 12 pack.

- CO2-12 - 12 pack unthreaded 16 gram
- CO2-100 - 100 pack unthreaded 16 gram
- CO2-12T - 12 pack threaded 16 gram
- CO220-12 - 12 pack unthreaded 20 gram

QuickBlast



The QuickBlast is the easiest way to service condensate lines. Once installed, simply turn the ball valve closed, supply pressure upstream, then downstream, and turn the ball valve back open. No additional tools, no leaks, no restricted flow - just a quick and easy way to clear lines.

QB1

FlexConnect Couplings and Adapters



Available in a variety of sizes, the FlexConnect line is a no-adhesive way to couple and adapt PVC lines to one another. 3/4" is especially convenient in the HVAC industry for condensate line service or repair.

- Flexcon34-6 - 6 pack of 3/4" PVC couplings
- Flexcon-BULK - Box of 100 3/4" PVC couplings
- FlexB-6 - 6 pack of 3/4" to 1/2" bushing
- FlexCon1 - 1" coupling
- FlexCon125 - 1.25" adapter
- FlexCon150 - 1.5" adapter
- FlexCon12515 - 1.25" to 1.5" adapter
- Flexcon2 - 2" Coupling
- Flexcon3 - 3" Coupling
- FlexCon23 - 2" to 3" adapter

CONDENSATE LINE ACCESSORIES

Drain Line Gun

Accepts all 16 gram cartridges, threaded or unthreaded.

DLG-1



Drain Line Gun XL

Accepts both 16 gram and 20 gram cartridges. This gun packs an extra punch.

DLG-2



Quick Blast Adapter

Connect a drain line gun directly to a Quick Blast or Line Drive.

QBA



High Pressure Control Hoses

Captube/Superhose replacement. Great for refrigerant pressure sensing applications. 1000 psi working pressure rated. Approved for most refrigerants and oils. 2mm inside diameter. 1/4" SAE fittings

HPCH18 - 18" STRAIGHT X 90 DEGREE
HPCH24 - 24" STRAIGHT X 90 DEGREE
HPCH30 - 30" STRAIGHT X 90 DEGREE
HPCH36 - 36" STRAIGHT X 90 DEGREE
HPCH48 - 48" STRAIGHT X 90 DEGREE



Natural Refrigerant Charging Hoses

Perfect for charging critically charged R290 or R600 units. Small diameter means minimal charge loss. 1/4" charging fittings

SH12KIT - 12" long set of 3 hoses STRAIGHT X 35 DEGREE
SH18KIT - 18" long set of 3 hoses STRAIGHT X 35 DEGREE
SH12Y - 12" long single hose STRAIGHT X 35 DEGREE
SH18Y - 18" long single hose STRAIGHT X 35 DEGREE



Oil Hoses

For applications that require oil flow as opposed to pressure sensing

522-0024-24 - 1/4 SAE STRAIGHT X 90 24" LONG
522-0024-36 - 1/4 SAE STRAIGHT X 90 36" LONG
533-0024-24 - 3/8 SAE STRAIGHT X 90 24" LONG
533-0024-36 - 3/8 SAE STRAIGHT X 90 36" LONG



Thermostat Guards

Polycarbonate and Steel versions available. Stainless Steel also available upon request. Mounting hardware included. 2 chrome plated keys included. Mount vertical or horizontal.

TP01CL - Polycarbonate mini
TP02CL - Polycarbonate small
TP03CL - Polycarbonate medium
TP04CL - Polycarbonate large
TP06M - Steel medium
TP07M - Steel large
TP08M - Steel mini



HVAC Service Center

Pre-wired switch box comes with an always hot 15 amp GFCI and service switch. 8' whip connects switch box with junction box. 12 awg wire.

HVACSC-1



Square Air Switch Tubing - Silicone

Square outside prevents kinking. Easily change out corroded tubing. 5' of tubing comes in each bag. Silicone material is easy to cut to size in the field and resistant to high temperatures.

SQAST-SIL-5



Square Air Switch Tubing - Neoprene

Square outside prevents kinking. Easily change out corroded tubing. 5' of tubing comes in each bag. Neoprene material is easy to cut to size in the field

SQAST-5



Fast Stat

Upgrade your HVAC equipment without new wiring. Receiver and sender included. Run two stage equipment and more over two wire communication.

- FSCM00 - Adds a common to a thermostat cable**
- FS1000 - Adds one wire to a thermostat cable**
- FS3000 - Adds two wires to a thermostat cable**
- FS5000 - Adds three wires and a common**
- FS7000 - Extends the wiring between a heat pump, indoor unit, and thermostat**
- FS9000 - Extends the wiring between a heat pump and indoor unit**



Bulk ATC Fuses

25 pack of blade type fuses. 3 amp and 5 amp available. UL listed

- EATC3-25 - 25 pack of ATC3 fuses**
- EATC5-25 - 25 pack of ATC5 fuses**



ATM3 Fuses

Mini type blade fuses used on some residential equipment

ATM3 (5/cs)



Nozzle Buddy

The easiest way to change oil nozzles

40437





Raven 7 mil Nitrile Black Gloves

Powder-free exam grade nitrile. Non-latex. Outstanding strength, wear and dexterity. Textured for enhanced gripping power. 7 mil thick. 100 gloves per box

- 66517 - Medium
- 66518 - Large
- 66519 - XL
- 66520 - 2XL



Raven 7 mil Nitrile Hi Visibility Gloves

Powder-free exam grade nitrile. Non-latex. Outstanding strength, wear and dexterity. Textured for enhanced gripping power. High visibility green color. 7 mil thick. 100 gloves per box.

- 66551 - Medium
- 66552 - Large
- 66553 - XL
- 66554 - 2XL



Derma-Tuff Nitrile Gloves

8Powder-free exam grade nitrile. Non-latex. Outstanding strength, wear and dexterity. Textured for enhanced gripping power. 6 mil thick. 120 gloves per box.

- 66582 - Medium
- 66583 - Large
- 66584 - XL
- 66585 - 2XL



HPPE Knit Gloves - Nitrile Palm

13-gauge High Performance Polyethylene knit shell. Micro-foam nitrile coated palm. Comfortable and superior performance. Meets current ASTM F2992-15 Standard for Cut Level A5

- 6773-02 - Medium
- 6773-03 - Large
- 6773-04 - XL
- 6773-05 - 2XL



Heavy Duty Professional Coveralls

Microporous non-woven material with polyethylene coating. Comfortable cloth-like fiber. Full zipper front. Elastic wrist and ankle cuffs. Meet ASTM F903-10 Chemical Penetration test for Solvent Based Paints.

- 6952 - Medium
- 6953 - Large
- 6954 - XL
- 6955 - 2XL
- 6956 - 3XL



Waterproof Shoe Covers

Durable, waterproof CPE material. Textured surface for better grip. Easy to put on and remove. Elastic opening for secured fit. Keeps shoes, boots and worksites clean

- 6884-06 - 6 pairs
- 6884-40 - 40 pairs